ceil ( )	Returns the smallest integer greater than or equal to x	math.ceil (x)	import math x= 26.7 y= -26.7 z= -23.2 print (math.ceil (x)) print (math.ceil (y)) print (math.ceil (z)) **Output:** 27 -26 -23
sqrt ( )	Returns the square root of x Note: x must be greater than 0 (zero)	sqrt (x)	import math a= 30 b= 49 c= 25.5 print (math.sqrt (a)) print (math.sqrt (b)) print (math.sqrt (c)) **Output:** 5.477225575051661 7.0 5.049752469181039

7.9.2 Composition in functions

What is Composition in functions?

The value returned by a function may be used as an argument for another function in a nested manner. This is called **composition**. For example, if we wish to take a numeric value or an expression as a input from the user, we take the input string from the user using the function **input()** and apply **eval()** function to evaluate its value, for example:

Example :

```
# This program explains composition
        >>> n1 = eval (input ("Enter a number: "))
Enter a number: 234
        >>> n1
        234
>>> n2 = eval (input ("Enter an arithmetic expression: "))
        Enter an arithmetic expression: 12.0+13.0 * 2
>>> n2
        38.0
```

7.10 Python recursive functions

When a function calls itself is known as recursion. Recursion works like loop but sometimes it makes more sense to use recursion than loop. You can convert any loop to