Points to remember:

- Object model stores data as objects, attributes, methods, classes and inheritance
- Normalization reduces data redundancy and improves data integrity
- Different types of Relationship are one-to-one, one-to-many, many-to-one and many-to-many relationships
- Database Normalization was proposed by Dr.Edgar F Codd
- Relational Algebra is used for modeling data stored in relational databases and for defining queries on it.

Evaluation

JKBRCW

Part - A

Choose the best answer **(1 Marks)**

1. What is the acronym of DBMS?
   a) DataBase Management Symbol b) Database Managing System
   c) DataBase Management System d) DataBasic Management System
2. A table is known as
   a) tuple b) attribute
   c) relation d)entity
3. Which database model represents parent-child relationship?
   a) Relational b) Network
   c) Hierarchical d) Object
4. Relational database model was first proposed by
   a) E F Codd b) E E Codd
   c) E F Cadd d) E F Codder
5. What type of relationship does hierarchical model represents?
   a) one-to-one b) one-to-many
   c) many-to-one d) many-to-many
6. Who is called Father of Relational Database from the following?
   a) Chris Date b)Hugh Darween
   c) Edgar Frank Codd d) Edgar Frank Cadd

XII Std - CS EM Chapter-11.indd 203 1/24/2020 10:09:35 AM