Admno	Name	Place
100	Ashish	Chennai
101	Adarsh	Delhi
103	Ayush	Delhi
104	Abinandh	Chennai
105	Revathi	Chennai
107	Hema	Chennai

The **NOT IN** keyword displays only those records that do not match in the list.

For example:

SELECT Admno, Name, Place FROM Student WHERE Place NOT IN ("Chennai", "Delhi");

will display students only from places other than "Chennai" and "Delhi".

Admno	Name	Place
102	Akshith	Bangalore
106	Devika	Bangalore

NULL Value :

The **NULL** value in a field can be searched in a table using the **IS NULL** in the **WHERE** clause. For example to list all the students whose Age contains no value, the command is used as:

SELECT * FROM Student WHERE Age IS NULL;



Note

Non NULL values in a table can be listed using IS NOT NULL.

12.7.5.5 ORDER BY clause

The **ORDER BY** clause in SQL is used to sort the data in either ascending or descending based on one or more columns.

1. By default **ORDER BY** sorts the data in ascending order.
2. We can use the keyword **DESC** to sort the data in descending order and the keyword **ASC** to sort in ascending order.

The ORDER BY clause is used as :

SELECT <column-name>[,<column-name>,….] FROM <table-name>ORDER BY <column1>,<column2>,…ASC| DESC ;

XII Std - CS EM Chapter-12.indd 223 24-01-2020 11:20:33