Let main() contains	
p1:=Person()	statement creates the object.
firstName := " Padmashri "	setting a field called firstName with value Padmashri
lastName :="Baskar"	setting a field called lastName with value Baskar
id :="994-222-1234"	setting a field called id value 994-222-1234
email="compsci@gmail.com"	setting a field called email with value compsci@gmail.com
- - output of firstName : Padmashri	

The class (structure) construct defines the form for multi-part objects that represent a person. Its definition adds a new data type, in this case a type named Person. Once defined, we can create new variables (instances) of the type. In this example ***Person is referred to as a class or a type, while p1 is referred to as an object or an instance.*** You can think of class Person as a cookie cutter, and p1 as a particular cookie. Using the cookie cutter you can make many cookies. Same way using class you can create many objects of that type.

So far, you've seen how a class defines a data abstraction by grouping related data items. A class is not just data, it has functions defined within it. We say such functions are subordinate to the class because their job is to do things with the data of the class, e.g., to modify or analyze the data of a Person object.

Therefore we can define ***a class as bundled data and the functions that work on that data***. From All the above example and explanation one can conclude the beauty of data abstraction is that we can treat complex data in a very simple way.

Points to remember:

- Abstract Data type (ADT) is a type (or class) for objects whose behavior is defined by a set of value and a set of operations.
- The definition of ADT only mentions what operations are to be performed but not how these operations will be implemented.
- ADT does not specify how data will be organized in memory and what algorithms will be used for implementing the operations
- Constructors are functions that build the abstract data type.
- Selectors are functions that retrieve information from the data type.
- Concrete data types or structures (CDT's) are direct implementations of a relatively simple concept.
- Abstract Data Types (ADT's) offer a high level view (and use) of a concept independent of its implementation.

XII Std - CS EM Chapter-2.indd 17 24-01-2020 12:39:51