'a'	Open for appending at the end of the file without truncating it. Creates a new file if it does not exist.
't'	Open in text mode. (default)
'b'	Open in binary mode.
'+'	Open a file for updating (reading and writing)

f=**open("sample.txt")**

#equivalent to 'r' or 'rt'

f = open("sample.txt",'w') *# write in text mode*

f = open("image1.bmp",'r+b') *# read and write in binary mode*

Python has a garbage collector to clean up unreferenced objects but, one must not rely on it to close the file.

```
f = open("test.txt")        #  since no mode is specified the default mode rt is used
# perform file operations
f.close()
```

The above method is **not entirely safe.** If an **exception** occurs when you are performing some operation with the file, the code exits without closing the file. The best way to do this is using the **"with"** statement. This ensures that the file is closed when the block inside **with** is exited. You need not to explicitly call the close() method. It is done internally.

```
with open("test.txt",'r') as f:
# f is file object to perform file operations
```

Closing a file will free up the resources that were tied with the file and is done using Python close() method.

```
f = open("sample.txt")
# perform file operations
f.close()
```

13.6.1.1 CSV Module's Reader Function

You can read the contents of CSV file with the help of **csv.reader()** method. **The reader function is designed to take each line of the file and make a list of all columns.** Then, you just choose the column you want the variable data for. Using this method one can read data from csv files of different formats like quotes (" "), pipe (|) and comma (,).

The syntax for csv.reader() is

XII Std - CS EM Chapter-13.indd 242 24-01-2020 12:50:36