
```
csv.reader(fileobject,delimiter,fmtparams)
```

where

file object :- passes the path and the mode of the file

delimiter :- an optional parameter containing the standard dilects like , | etc can be omitted

fmtparams: optional parameter which help to override the default values of the dialects like skipinitialspace,quoting etc. Can be omitted



13.6.1.1.1 CSV file with default delimiter comma (,)

The following program read a file called "sample1.csv" with default delimiter comma (,) and print row by row.

```
#importing csv
import csv
#opening the csv file which is in different location with read mode
with open('c:\pyprg\sample1.csv', 'r') as F:
#other way to open the file is f= ('c:\pyprg\sample1.csv', 'r')
      reader = csv.reader(F)
# printing each line of the Data row by row
for row in reader:
     print(row)
F.close()
```

OUTPUT

```
['SNO', 'NAME', 'CITY']
['12101', 'RAM', 'CHENNAI']
['12102', 'LAVANYA', 'TIRUCHY']
['12103', 'LAKSHMAN', 'MADURAI']
```

13.6.1.1.2. CSV files- data with Spaces at the beginning

Consider the following file "sample2.csv" containing the following data when opened through notepad

```
Topic1, Topic2, Topic3,
one, two, three
Example1, Example2, Example3
```


XII Std - CS EM Chapter-13.indd 243 24-01-2020 12:50:36