When we open "dob.csv" file, we get the following output:

```
SNO|Person|DOB
1|Madhu|18/12/2001
2|Sowmya|19/2/1998
3|Sangeetha|20/3/1999
4|Eshwar|21/4/2000
5|Anand|22/5/2001
```

In the above program, a dialect with delimiter as pipe(|)is registered. Then the list "info" is written into the CSV file "dob.csv".

Note

The dialect parameter skipinitialspace when it is True, whitespace immediately following the delimiter is ignored. The default is False.

13.7.5 CSV File With A Line Terminator

A Line Terminator is a string used to terminate lines produced by writer. The default value is \r or \n. We can write csv file with a line terminator in Python by registering new dialects using csv.register_dialect() class of csv module. For Example

```
import csv
Data = [['Fruit', 'Quantity'], ['Apple', '5'], ['Banana', '7'], ['Mango', '8']]
csv.register_dialect('myDialect', delimiter = '|', lineterminator = '\n')
with open('c:\pyprg\ch13\line.csv', 'w') as f:
    writer = csv.writer(f, dialect='myDialect')
    writer.writerows(Data)
f.close()
```

When we open the line.csv file, we get following output with spacing between lines:

```
Fruit|Quantity
Apple|5
Banana|7
Mango|8
```

In the above code, the new dialect "myDialect uses the delimiter='|' where a | (pipe) is considered as column separator. The line terminator='\r\n\r\n' separates each row and display the data after every two lines.

XII Std - CS EM Chapter-13.indd 259 24-01-2020 12:50:37