```
end
```

Since we've defined an attachment, we need to install the tables that Active Storage uses to track the attachments. This only needs to be done once per database. We do this by running the following command:

```
depot> bin/rails active_storage:install
Copied migration
20250420000002_create_active_storage_tables.active_storage.rb
  from active_storage_attachments
```

Now that we're done with our changes, we need to get Rails to apply this migration to our development database. We do this by using the `bin/rails db:migrate` command:

```
depot> bin/rails db:migrate
== 20250420000001 CreateProducts: migrating
===================================
-- create_table(:products)
   -> 0.0025s
== 20250420000001 CreateProducts: migrated (0.0025s)
==========================

== 20250420000002 CreateActiveStorageTables: migrating
=======================
-- create_table(:active_storage_blobs, {:id=>:primary_key})
   -> 0.0065s
-- create_table(:active_storage_attachments, {:id=>:primary_key})
   -> 0.0270s
-- create_table(:active_storage_variant_records, {:id=>:primary_key})
   -> 0.0113s
== 20250420000002 CreateActiveStorageTables: migrated (0.0451s)
==============
```

And that's it. Rails looks for all the migrations not yet applied to the database and applies them. In our case, the `products` table is added to the database defined by the `development` section of the `database.yml` file, and three tables are created for Active Storage to use.