our layout, our product information, and our number formatting. Let's see what that looks like in code:

rails80/depot_e/test/controllers/store_controller_test.rb

```
    require "test_helper"

    class StoreControllerTest < ActionDispatch::IntegrationTest
      test "should get index" do
        get store_index_url
        assert_response :success
»       assert_select "nav a", minimum: 4
»       assert_select "main ul li", 3
»       assert_select "h2", "The Pragmatic Programmer"
»       assert_select "div", /\$[,\d]+\.\d\d/
      end
    end
```

The four lines we added take a look *into* the HTML that's returned, using CSS selector notation. As a refresher, selectors that start with a number sign (`#`) match on `id` attributes; selectors that start with a dot (`.`) match on class attributes; and selectors that contain no prefix match on element names.

So the first select test looks for an element named `a` that's contained in a `nav` element. This test verifies that a minimum of four such elements is present. Pretty powerful stuff, `assert_select`, eh?

The next three lines verify that all of our products are displayed. The first verifies that there are three `li` elements inside a `ul`, which is itself inside the `main` element. The next line verifies that there's an `h2` element with the title of the Ruby book that we'd entered previously. The fourth line verifies that the price is formatted correctly. These assertions are based on the test data that we put inside our fixtures:

rails80/depot_e/test/fixtures/products.yml

```
    # Read about fixtures at
    # https://api.rubyonrails.org/classes/ActiveRecord/FixtureSet.html
```