```
»           format.html { redirect_to @line_item.cart }
            format.json { render :show,
              status: :created, location: @line_item }
          else
            format.html { render :new,
              status: :unprocessable_entity }
            format.json { render json: @line_item.errors,
              status: :unprocessable_entity }
          end
        end
      end
```

Finally, we get around to tidying up the cart display. The -based approach makes it hard to style. A table-based layout would be easier. Replace app/views/carts/_cart.html.erb with the following:

rails80/depot_i/app/views/carts/_cart.html.erb

```
    <div id="<%= dom_id cart %>">
»     <h2 class="font-bold text-lg mb-3">Your Cart</h2>
»
»     <table class="table-auto">
»       <% cart.line_items.each do |line_item| %>
»         <tr>
»           <td class="text-right"><%= line_item.quantity %></td>
»           <td>&times;</td>
»           <td class="pr-2">
»             <%= line_item.product.title %>
»           </td>
»           <td class="text-right font-bold">
»             <%= number_to_currency(line_item.total_price) %>
»           </td>
»         </tr>
»       <% end %>
»
»       <tfoot>
»         <tr>
»           <th class="text-right pr-2 pt-2" colspan="3">Total:</th>
»           <td class="text-right pt-2 font-bold border-t-2 border-black">
»             <%= number_to_currency(cart.total_price) %>
»           </td>
»         </tr>
```