We discuss this with our customer. She agrees to honor the price at the time the item was placed in the cart, but she wants the catalog being displayed to be up-to-date. At this point, we've reached the limits of what Turbo Streams can do for us, and we don't want to do full-page refreshes. We need a way to push partial updates to the browser.

In 2011, the Internet Engineering Task Force (IETF) published a Standards Track document describing a two-way WebSocket protocol.[62] Action Cable provides both a client-side JavaScript framework and a server-side Ruby framework that together seamlessly integrate the WebSocket protocol into the rest of your Rails application. This enables features like real-time updates to be easily added to your Rails application in a manner that performs well and is scalable.

Making use of Action Cable is a three-step process: create a channel, broadcast some data, and receive the data. And by now, it should be no surprise that Rails has a generator that does most of the work (for two out of the three steps, anyway):

```
depot> bin/rails generate channel products
      invoke  test_unit
      create    test/channels/products_channel_test.rb
   identical  app/channels/application_cable/channel.rb
   identical  app/channels/application_cable/connection.rb
      create  app/channels/products_channel.rb
      create  app/javascript/channels/index.js
      create  app/javascript/channels/consumer.js
      append  app/javascript/application.js
      append  config/importmap.rb
      create  app/javascript/channels/products_channel.js
        gsub  app/javascript/channels/products_channel.js
      append  app/javascript/channels/index.js
```

The way to create a channel is by updating the file created in the `app/channels/` directory:

rails80/depot_o/app/channels/products_channel.rb