This file has examples of three ways to get your secrets: from a password manager, from the environment, or from a file. A password manager is the most secure and the one we recommend.

Uncomment out this section, select the appropriate adapter,[121] and add the S3 secrets, unless you added them to `config/credentials.yml.enc`.

Now place all of the secrets you gathered while assembling your ingredients into your password manager. You can find the `MASTER_KEY` in your Rails app at `config/master.key`.

While it's possible to list your secrets here, it's strongly discouraged. If you chose to do it anyway, be sure to add this file to your `.gitignore` and `.dockerignore` files.

Configure Active Storage

Active Storage is the Rails way to store files. The Depot application uses it to store book cover images. Configure it using the environment variables you extracted from your password manager:

rails80/depot_td/config/storage.yml

```
  test:
    service: Disk
    root: <%= Rails.root.join("tmp/storage") %>

  local:
    service: Disk
    root: <%= Rails.root.join("storage") %>

» hetzner:
»   service: S3
»   access_key_id: <%= ENV["ACCESS_KEY_ID"] %>
»   secret_access_key: <%= ENV["SECRET_ACCESS_KEY"] %>
»   endpoint: <%= ENV["ENDPOINT_URL"] %>
»   region: <%= ENV["REGION"] %>
»   bucket: <%= ENV["BUCKET_NAME"] %>
```