Additional Monitoring Tools

AppSignal.[131] Honeybadger,[132]New Relic,[133]Rollbar,[134] Sentry,[135] and Scout[136] are tools that can be used to monitor your application's performance and create alerts when certain conditions are met.

Mobi/dev has a list of security considerations and tools.[137]

The host you select will often offer tools to prevent DDoS attack and monitor your server's performance. You'll want to enable these.

Horizontal Scaling

As your needs increase, you can move to bigger and bigger servers.[138] At some point you may need more, or simply want resiliency, or perhaps want to serve requests close to users.

This generally means that you'll need to convert from Sqlite3 to a database like PostgreSQL. For this, you'll want a *managed* PostgreSQL solution. Trust me on this.

- In your `Dockerfile` replace `sqlite3` with `libpq-dev postgresql-client`.
- The active record guides[139] recommend updating `config/database.yml`, but it generally is easier to set a `DATABASE_URL` secret.[140]

There is a tool named pgloader[141] that you can use to copy your Sqlite3 database to PostgreSQL.

Once you define a second application machine, you'll need to add a load balancer to route requests between machines. This generally is a paid feature.[142] You'll also need an SSL certificate[143] for your load balancer, as Kamal's ssl[144] is only for one server.

As PostgreSQL requests tend to have a higher latency per request than Sqlite3, you likely will need to tune your application. Look for places where you execute a query and iterate over the results, and inside the iteration you