The `button_to` method works the same as `link_to` but generates a button in a self-contained form rather than a straight hyperlink. This is the preferred method of linking to actions that have side effects. However, these buttons live in their own forms, which imposes a couple of restrictions: they cannot appear inline, and they cannot appear inside other forms.

Rails has conditional linking methods that generate hyperlinks if some condition is met or just return the link text otherwise. `link_to_if` and `link_to_unless` take a condition parameter, followed by the regular parameters to `link_to`. If the condition is `true` (for `link_to_if`) or `false` (for `link_to_unless`), a regular link will be created using the remaining parameters. If not, the name will be added as plain text (with no hyperlink).

The `link_to_unless_current` helper creates menus in sidebars where the current page name is shown as plain text and the other entries are hyperlinks:

```
<ul>
<% %w{ create list edit save logout }.each do |action| %>
   <li>
     <%= link_to_unless_current(action.capitalize, action: action) %>
   </li>
<% end %>
</ul>
```

The `link_to_unless_current` helper may also be passed a block that's evaluated only if the current action is the action given, effectively providing an alternative to the link. There's also a `current_page` helper method that simply tests whether the current page was generated by the given options.

As with `url_for`, `link_to` and friends also support absolute URLs:

```
<%= link_to("Help", "http://my.site/help/index.html") %>
```

The `image_tag` helper creates `<img>` tags. Optional `:size` parameters (of the form *width*`x`*height*) or separate width and height parameters define the size of the image: