Iteration K1: Receiving Support Emails with Action Mailbox

Configuring Rails to receive emails requires three steps: initially setting up Action Mailbox, setting up Active Storage to hold the raw emails we receive, and implementing a *mailbox*, which is like a controller that handles incoming emails.

Setting up Action Mailbox

To set up Action Mailbox in our app, we'll run a Rake task that will create some configuration files, a base mailbox class we'll inherit from, and some database tables that Rails will use to store information about incoming emails. Let's run the Rake task:

```
> bin/rails action_mailbox:install
Copying application_mailbox.rb to app/mailboxes
      create  app/mailboxes/application_mailbox.rb
Copied migration
  20221207000011_create_active_storage_tables.active_storage.rb
    from active_storage
Copied migration
  20221207000012_create_action_mailbox_tables.action_mailbox.rb
    from action_mailbox
```

Note that a) we've reformatted our output to fit the pages in the book and b) since there were two migrations created and migration filenames have a date and timestamp in them, your filenames won't exactly match ours. Next, we'll add the tables that Rake task created to our development and test databases:

```
> bin/rails db:migrate
== 20221207191846 CreateActiveStorageTables: migrating ======================
-- create_table(:active_storage_blobs, {})
   -> 0.0015s
-- create_table(:active_storage_attachments, {})
   -> 0.0013s
== 20221207191846 CreateActiveStorageTables: migrated (0.0029s) =============

== 20221207191847 CreateActionMailboxTables: migrating ======================
```