```
    9:
   10:   # GET /tasks/1
   11:   # GET /tasks/1.json
   12:   def show
```

The debugger drops you into the rails console.

Step 4

Type help to see available byebug commands.

```
(byebug) help
```

```
  break      -- Sets breakpoints in the source code
  catch      -- Handles exception catchpoints
  condition  -- Sets conditions on breakpoints
  continue   -- Runs until program ends, hits a breakpoint or
reaches a line
  debug      -- Spawns a subdebugger
  delete     -- Deletes breakpoints
  disable    -- Disables breakpoints or displays
  display    -- Evaluates expressions every time the debugger
stops
  down       -- Moves to a lower frame in the stack trace
  edit       -- Edits source files
  enable     -- Enables breakpoints or displays
  finish     -- Runs the program until frame returns
  frame      -- Moves to a frame in the call stack
  help       -- Helps you using byebug
  history    -- Shows byebug's history of commands
  info       -- Shows several informations about the program
being debugged
  interrupt  -- Interrupts the program
  irb        -- Starts an IRB session
  kill       -- Sends a signal to the current process
  list       -- Lists lines of source code
  method     -- Shows methods of an object, class or module
  next       -- Runs one or more lines of code
  pry        -- Starts a Pry session
  quit       -- Exits byebug
  restart    -- Restarts the debugged program
  save       -- Saves current byebug session to a file
```