million by 2035 for an estimated population of 1.5 billion. unless steps are taken to prevent new cases of diabetes. One in every eight individuals in India is a diabetic. The average age for the onset of diabetes is around 40 years while it is around 55 years in other countries.

Key facts about Diabetes

- The number of people with diabetes has risen from 108 million in 1980 to 422 million in 2014 .
- The global prevalence of diabetes among adults over 18 years of age has risen from 4.7% in 1980 to 8.5% in 2014 .
- Diabetes prevalence has been rising more rapidly in middle- and low-income countries.
- Diabetes is a major cause of blindness, kidney failure, heart attacks, stroke and lower limb amputation.
- In 2015, an estimated 1.6 million deaths were directly caused by diabetes. Another 2.2 million deaths were attributable to high blood glucose in 2012.
- Almost half of all deaths attributable to high blood glucose occur before the age of 70 years. WHO projects that diabetes will be the seventh leading cause of death in 2030.
- Healthy diet, regular physical activity, maintaining a normal body weight and avoiding tobacco use are ways to prevent or delay the onset of type 2 diabetes.
- Diabetes can be treated and its consequences avoided or delayed with diet, physical activity, medication and regular screening and treatment for complications.

9.2. Types of Diabetes

1. Insulin Dependent Diabetes Mellitus (IDDM or Type 1 Diabetes Mellitus)

- ❖ The onset is abrupt.
- ❖ Occurs at childhood or as young adult. However may occur at late age also.
- ❖ This is identified as auto immune disorder.
- ❖ They depend on exogenous insulin for survival and to maintain life.
- ❖ Type I patients are ketosis prone.

2. Non Insulin Dependent Diabetes Mellitus (NIDDM or Type II)

It is a heterogenous disorder characterized by liver, muscle and adipose tissue sensitivity to insulin and impaired beta cell function and associated with defects in both insulin secretion and insulin action.

- ❖ They are not ketosis prone, except during periods of severe stress, such as those caused by infections, trauma and surgery.
- ❖ They don't depend on exogenous insulin.
- ❖ Onset is gradual.
- ❖ Occurs only after the age of 30 years. However now even seen in young children due to stress and modern lifestyle.
- ❖ Many have a family history of Diabetes.
- ❖ Most are obese.
- ❖ Glucose levels improve on weight loss.
- ❖ Many type II diabetics need supplement of exogenous insulin.
- ❖ May present with micro vascular and macro vascular chronic complications.

UNIT 9_new.indd 143 25-02-2019 15:37:13