5.2. ROUTINE HOSPITAL DIETS

Hospital diet is an essential part of modern therapy in all medical departments. The integration of nutritional therapeutic problems into the treatments of patients require optimal scientific and practical forms of organization of nutrition in the clinic. Some of the hospital diets are regular diet, soft diet, liquid diet, clear liquid diet, full fluid diet, pureed diet and restricted diet.

5.2.1. Liquid diets

Liquid diets act as a transitional diet after illness or surgery. It consists of foods that are in a liquid state at body temperature. This type of diet is indicated in some post operative cases, in acute illness and in inflammatory conditions of the gastrointestinal tract. The three types of liquid diets are clear liquid, full liquid and pureed.

a) Clear liquid diet is given in –

Clear Liquid Diet

Definition:

- A Diet containing no solid foods, is often prescribed for gastrointestinal illness or before or after certain types of surgery involving the mouth or gastrointestinal tract.

Indication:

- Indicated for the postoperative patient
- Gastrointestinal illness
- Laboratory procedures

- Acute infections.
- Surgeryor acute illness which causes anorexia, nausea, vomiting, abdominal discomfort and diarrhea , since food intake is restricted.
- In cases when excretion through rectal route needs to be avoided.
- It is also advised to supply water to the tissues, satisfy thirst and gas removal.

Inclusion of a clear liquid diet:-

Clear broth, black tea or coffee, plain gelatin and clear fruit juices which leave no residue. It does not form gas, non -irritating and non- stimulating to the peristaltic action


This diet is inadequate in all nutrients including proteins, calories , minerals and vitamins. Due to this reason it should not be continued for more than 24 to 48 hours. The diet consists of feeding of 30 to 60 ml /hour initially with moving to feeding every 2 to 3 hours while the patient is awake. This diet provides only 300 k.cal, no protein, negligible fat and 100 – 120 mg of carbohydrates.

Activity : 1

List 5 recipes suitable for clear liquid diet










UNIT - 5 Therapeutic diets.indd 84 25-02-2019 15:34:56