System Define Functions	A function is already created by system it is a reusable piece or block of code that performs a specific action. Functions can either return values when called or can simply perform an operation without returning any value.
Parameterized Function	PHP Parameterized functions are the functions with parameters or arguments.
Array	An array is a special variable, which can hold more than one value at a time of same type. It's a collection of homogeneous data
Associative Array	Associative arrays are arrays that use named keys that you assign to them.
Indexed Arrays	The index value is assigned to each array element.
Multi-Dimensional Array	A multidimensional array is an array containing one or more arrays.

EVALUATION

44MX42

Part - I

Choose the correct answer

1. Which one of the following is the right way of defining a function in PHP?

   a) function { function body }

   b) data type functionName(parameters) { function body }

   c)functionName(parameters) { function body }

   d) function functionName(parameters) { function body }

2. A function in PHP starts with __.

   a) function b) __ def c) def d) function

3. PHP's indexed array begin with position _____

   a) 1 b) 2 c) 0 d) -1

4. Identify the parameter in the function.

```
< ? php
function abc ($x)
{$y=10;}
abc (5);
?>
```

   a) $x b) $y c) 10 d) 5

5. _____ stores more than one value of same data type in single array variable.

   a) Array b) Function c) Indexed array d) Multidimensional array

XII CompApp_English version CHAPTER 05.indd 103 23-02-2020 11:28:25