This generates the following:

```
<input id="pet_dog" name="pet_dog" type="checkbox" value="1" />
<label for="pet_dog">I own a dog</label>
<input id="pet_cat" name="pet_cat" type="checkbox" value="1" />
<label for="pet_cat">I own a cat</label>
```

The first parameter to `check_box_tag`, of course, is the name of the input. The second parameter, naturally, is the value of the input. This value will be included in the form data (and be present in `params`) when the checkbox is checked.

1.3.2 Radio Buttons

Radio buttons, while similar to checkboxes, are controls that specify a set of options in which they are mutually exclusive (i.e., the user can only pick one):

```
<%= radio_button_tag(:age, "child") %>
<%= label_tag(:age_child, "I am younger than 21") %>
<%= radio_button_tag(:age, "adult") %>
<%= label_tag(:age_adult, "I'm over 21") %>
```

Output:

```
<input id="age_child" name="age" type="radio" value="child" />
<label for="age_child">I am younger than 21</label>
<input id="age_adult" name="age" type="radio" value="adult" />
<label for="age_adult">I'm over 21</label>
```

As with `check_box_tag`, the second parameter to `radio_button_tag` is the value of the input. Because these two radio buttons share the same name (`age`), the user will only be able to select one of them, and `params[:age]` will contain either `"child"` or `"adult"`.

Always use labels for checkbox and radio buttons. They associate text with a specific option and, by expanding the clickable region, make it easier for users to click the inputs.

1.4 Other Helpers of Interest

Other form controls worth mentioning are textareas, password fields, hidden fields, search fields, telephone fields, date fields, time fields, color fields, datetime fields, datetime-local fields, month fields, week fields, URL fields, email fields, number fields and range fields:

```
<%= text_area_tag(:message, "Hi, nice site", size: "24x6") %>
<%= password_field_tag(:password) %>
<%= hidden_field_tag(:parent_id, "5") %>
<%= search_field(:user, :name) %>
<%= telephone_field(:user, :phone) %>
<%= date_field(:user, :born_on) %>
<%= datetime_field(:user, :meeting_time) %>
<%= datetime_local_field(:user, :graduation_day) %>
<%= month_field(:user, :birthday_month) %>
<%= week_field(:user, :birthday_week) %>
<%= url_field(:user, :homepage) %>
<%= email_field(:user, :address) %>
<%= color_field(:user, :favorite_color) %>
<%= time_field(:task, :started_at) %>
<%= number_field(:product, :price, in: 1.0..20.0, step: 0.5) %>
<%= range_field(:product, :discount, in: 1..100) %>
```

Output:

```
<textarea id="message" name="message" cols="24" rows="6">Hi, nice site</textarea>
<input id="password" name="password" type="password" />
```