14.2 rescue_from

If you want to do something a bit more elaborate when catching errors, you can use `rescue_from`, which handles exceptions of a certain type (or multiple types) in an entire controller and its subclasses.
When an exception occurs which is caught by a `rescue_from` directive, the exception object is passed to the handler. The handler can be a method or a `Proc` object passed to the `:with` option. You can also use a block directly instead of an explicit `Proc` object.
Here's how you can use `rescue_from` to intercept all `ActiveRecord::RecordNotFound` errors and do something with them.

```
class ApplicationController < ActionController::Base
  rescue_from ActiveRecord::RecordNotFound, with: :record_not_found

  private

    def record_not_found
      render plain: "404 Not Found", status: 404
    end
end
```

Of course, this example is anything but elaborate and doesn't improve on the default exception handling at all, but once you can catch all those exceptions you're free to do whatever you want with them. For example, you could create custom exception classes that will be thrown when a user doesn't have access to a certain section of your application:

```
class ApplicationController < ActionController::Base
  rescue_from User::NotAuthorized, with: :user_not_authorized

  private

    def user_not_authorized
      flash[:error] = "You don't have access to this section."
      redirect_to :back
    end
end

class ClientsController < ApplicationController
  # Check that the user has the right authorization to access clients.
  before_action :check_authorization

  # Note how the actions don't have to worry about all the auth stuff.
  def edit
    @client = Client.find(params[:id])
  end

  private

    # If the user is not authorized, just throw the exception.
    def check_authorization
      raise User::NotAuthorized unless current_user.admin?
    end
end
```

You shouldn't do `rescue_from Exception` or `rescue_from StandardError` unless you have a particular reason as it will cause serious side-effects (e.g. you won't be able to see exception details and tracebacks during development).

Certain exceptions are only rescuable from the `ApplicationController` class, as they are raised before the controller gets initialized and the action gets executed. See Pratik Naik's article on the subject for more information.