```
  resources :quotes
  resources :drafts
end
```

The `shallow` method of the DSL creates a scope inside of which every nesting is shallow. This generates the same routes as the previous example:

```
shallow do
  resources :articles do
    resources :comments
    resources :quotes
    resources :drafts
  end
end
```

There exist two options for `scope` to customize shallow routes. `:shallow_path` prefixes member paths with the specified parameter:

```
scope shallow_path: "sekret" do
  resources :articles do
    resources :comments, shallow: true
  end
end
```

The comments resource here will have the following routes generated for it:

HTTP Verb	Path	Controller#Action	Named Helper
GET	/articles/:article_id/comments(.:format)	comments#index	article_comments_path
POST	/articles/:article_id/comments(.:format)	comments#create	article_comments_path
GET	/articles/:article_id/comments/new(.:format)	comments#new	new_article_comment_path
GET	/sekret/comments/:id/edit(.:format)	comments#edit	edit_comment_path
GET	/sekret/comments/:id(.:format)	comments#show	comment_path
PATCH/PUT	/sekret/comments/:id(.:format)	comments#update	comment_path
DELETE	/sekret/comments/:id(.:format)	comments#destroy	comment_path

The `:shallow_prefix` option adds the specified parameter to the named helpers:

```
scope shallow_prefix: "sekret" do
  resources :articles do
    resources :comments, shallow: true
  end
end
```

The comments resource here will have the following routes generated for it: