4.5 Prefixing the Named Route Helpers

You can use the `:as` option to prefix the named route helpers that Rails generates for a route. Use this option to prevent name collisions between routes using a path scope. For example:

```
scope 'admin' do
  resources :photos, as: 'admin_photos'
end

resources :photos
```

This will provide route helpers such as `admin_photos_path`, `new_admin_photo_path`, etc.

To prefix a group of route helpers, use `:as` with `scope`:

```
scope 'admin', as: 'admin' do
  resources :photos, :accounts
end

resources :photos, :accounts
```

This will generate routes such as `admin_photos_path` and `admin_accounts_path` which map to `/admin/photos` and `/admin/accounts` respectively.

The `namespace` scope will automatically add `:as` as well as `:module` and `:path` prefixes.

You can prefix routes with a named parameter also:

```
scope ':username' do
  resources :articles
end
```

This will provide you with URLs such as `/bob/articles/1` and will allow you to reference the `username` part of the path as `params[:username]` in controllers, helpers and views.

4.6 Restricting the Routes Created

By default, Rails creates routes for the seven default actions (`index`, `show`, `new`, `create`, `edit`, `update`, and `destroy`) for every RESTful route in your application. You can use the `:only` and `:except` options to fine-tune this behavior. The `:only` option tells Rails to create only the specified routes:

```
resources :photos, only: [:index, :show]
```

Now, a `GET` request to `/photos` would succeed, but a `POST` request to `/photos` (which would ordinarily be routed to the `create` action) will fail.

The `:except` option specifies a route or list of routes that Rails should *not* create:

```
resources :photos, except: :destroy
```

In this case, Rails will create all of the normal routes except the route for `destroy` (a `DELETE` request to `/photos/:id`).

If your application has many RESTful routes, using `:only` and `:except` to generate only the routes that you actually need can cut down on memory use and speed up the routing process.

4.7 Translated Paths

Using `scope`, we can alter path names generated by resources:

```
scope(path_names: { new: 'neu', edit: 'bearbeiten' }) do
  resources :categories, path: 'kategorien'
end
```

Rails now creates routes to the `CategoriesController`.

HTTP Verb	Path	Controller#Action	Named Helper
GET	/kategorien	categories#index	categories_path