```
      template:
        header:
          one:   "1 error prohibited this %{model} from being saved"
          other: "%{count} errors prohibited this %{model} from being
saved"
        body:    "There were problems with the following fields:"
```

In order to use this helper, you need to install DynamicForm gem by adding this line to your Gemfile: `gem 'dynamic_form'`.

4.7 Translations for Action Mailer E-Mail Subjects

If you don't pass a subject to the `mail` method, Action Mailer will try to find it in your translations. The performed lookup will use the pattern `<mailer_scope>.<action_name>.subject` to construct the key.

```
# user_mailer.rb
class UserMailer < ActionMailer::Base
  def welcome(user)
    #...
  end
end
en:
  user_mailer:
    welcome:
      subject: "Welcome to Rails Guides!"
```

To send parameters to interpolation use the `default_i18n_subject` method on the mailer.

```
# user_mailer.rb
class UserMailer < ActionMailer::Base
  def welcome(user)
    mail(to: user.email, subject: default_i18n_subject(user:
user.name))
  end
end
en:
  user_mailer:
    welcome:
      subject: "%{user}, welcome to Rails Guides!"
```

4.8 Overview of Other Built-In Methods that Provide I18n Support

Rails uses fixed strings and other localizations, such as format strings and other format information in a couple of helpers. Here's a brief overview.

4.8.1 Action View Helper Methods

- `distance_of_time_in_words` translates and pluralizes its result and interpolates the number of seconds, minutes, hours, and so on. See datetime.distance_in_wordstranslations.
- `datetime_select` and `select_month` use translated month names for populating the resulting select tag. See date.month_names for translations. `datetime_select` also looks up the order option from date.order (unless you pass the option explicitly). All date selection helpers translate the prompt using the translations in the datetime.prompts scope if applicable.
- The `number_to_currency`, `number_with_precision`, `number_to_percentage`, `number_with_delimiter`, and `number_to_human_size` helpers use the number format settings located in the number scope.

4.8.2 Active Model Methods

- `model_name.human` and `human_attribute_name` use translations for model names and attribute names if available in the activerecord.models scope. They also support translations for inherited class names (e.g. for use with STI) as explained above in "Error message scopes".