Then you make the app/views/articles/show.html.erb look like the following:

```
<p>
  <strong>Title:</strong>
  <%= @article.title %>
</p>

<p>
  <strong>Text:</strong>
  <%= @article.text %>
</p>

<h2>Comments</h2>
<%= render @article.comments %>

<h2>Add a comment:</h2>
<%= render 'comments/form' %>

<%= link_to 'Edit', edit_article_path(@article) %> |
<%= link_to 'Back', articles_path %>
```

The second render just defines the partial template we want to render, comments/form. Rails is smart enough to spot the forward slash in that string and realize that you want to render the _form.html.erb file in the app/views/comments directory.

The @article object is available to any partials rendered in the view because we defined it as an instance variable.

8 Deleting Comments

Another important feature of a blog is being able to delete spam comments. To do this, we need to implement a link of some sort in the view and a destroy action in the CommentsController.

So first, let's add the delete link in the app/views/comments/_comment.html.erb partial:

```
<p>
  <strong>Commenter:</strong>
  <%= comment.commenter %>
</p>

<p>
  <strong>Comment:</strong>
  <%= comment.body %>
</p>

<p>
  <%= link_to 'Destroy Comment', [comment.article, comment],
               method: :delete,
               data: { confirm: 'Are you sure?' } %>
</p>
```

Clicking this new "Destroy Comment" link will fire off a DELETE /articles/:article_id/comments/:id to our CommentsController, which can then use this to find the comment we want to delete, so let's add a destroy action to our controller (app/controllers/comments_controller.rb):

```
class CommentsController < ApplicationController
  def create
    @article = Article.find(params[:article_id])
    @comment = @article.comments.create(comment_params)
    redirect_to article_path(@article)
  end

  def destroy
    @article = Article.find(params[:article_id])
    @comment = @article.comments.find(params[:id])
    @comment.destroy
```