```
# Enqueue a job to be performed as soon the queueing system is
# free.
MyJob.perform_later record
# Enqueue a job to be performed tomorrow at noon.
MyJob.set(wait_until: Date.tomorrow.noon).perform_later(record)
# Enqueue a job to be performed 1 week from now.
MyJob.set(wait: 1.week).perform_later(record)
```

That's it!

4 Job Execution

If no adapter is set, the job is immediately executed.

4.1 Backends

Active Job has built-in adapters for multiple queueing backends (Sidekiq, Resque, Delayed Job and others). To get an up-to-date list of the adapters see the API Documentation forActiveJob::QueueAdapters.

4.2 Setting the Backend

You can easily set your queueing backend:

```
# config/application.rb
module YourApp
  class Application < Rails::Application
    # Be sure to have the adapter's gem in your Gemfile
    # and follow the adapter's specific installation
    # and deployment instructions.
    config.active_job.queue_adapter = :sidekiq
  end
end
```

5 Queues

Most of the adapters support multiple queues. With Active Job you can schedule the job to run on a specific queue:

```
class GuestsCleanupJob < ActiveJob::Base
  queue_as :low_priority
  #....
end
```

You can prefix the queue name for all your jobs using `config.active_job.queue_name_prefix` in `application.rb`:

```
# config/application.rb
module YourApp
  class Application < Rails::Application
    config.active_job.queue_name_prefix = Rails.env
  end
end

# app/jobs/guests_cleanup.rb
class GuestsCleanupJob < ActiveJob::Base
  queue_as :low_priority
  #....
end

# Now your job will run on queue production_low_priority on your
# production environment and on staging_low_priority
```