
```
  http_basic_authenticate_with name: "dhh", password: "secret", only:
:destroy

  def create
    @article = Article.find(params[:article_id])
    # ...
  end

  # snipped for brevity
```

Now if you try to create a new article, you will be greeted with a basic HTTP Authentication challenge:







Other authentication methods are available for Rails applications. Two popular authentication add-ons for Rails are the Devise rails engine and the Authlogic gem, along with a number of others.

## 9.2 Other Security Considerations

Security, especially in web applications, is a broad and detailed area. Security in your Rails application is covered in more depth in the Ruby on Rails Security Guide.

# 10 What's Next?

Now that you've seen your first Rails application, you should feel free to update it and experiment on your own.

Remember you don't have to do everything without help. As you need assistance getting up and running with Rails, feel free to consult these support resources:

- The Ruby on Rails Guides
- The Ruby on Rails Tutorial
- The Ruby on Rails mailing list
- The #rubyonrails channel on irc.freenode.net

# 11 Configuration Gotchas

The easiest way to work with Rails is to store all external data as UTF-8. If you don't, Ruby libraries and Rails will often be able to convert your native data into UTF-8, but this doesn't always work reliably, so you're better off ensuring that all external data is UTF-8.

If you have made a mistake in this area, the most common symptom is a black diamond with a question mark inside appearing in the browser. Another common symptom is characters like "Ã¼" appearing