```
    Credit card controller with URLs like /credit_cards/debit.
        Controller: app/controllers/credit_cards_controller.rb
        Test:       test/controllers/credit_cards_controller_test.rb
        Views:      app/views/credit_cards/debit.html.erb [...]
        Helper:     app/helpers/credit_cards_helper.rb
```

The controller generator is expecting parameters in the form of `generate controller ControllerName action1 action2`. Let's make a `Greetings` controller with an action of **hello**, which will say something nice to us.

```
$ bin/rails generate controller Greetings hello
     create  app/controllers/greetings_controller.rb
      route  get "greetings/hello"
     invoke  erb
     create    app/views/greetings
     create    app/views/greetings/hello.html.erb
     invoke  test_unit
     create    test/controllers/greetings_controller_test.rb
     invoke  helper
     create    app/helpers/greetings_helper.rb
     invoke  assets
     invoke    coffee
     create      app/assets/javascripts/greetings.coffee
     invoke    scss
     create      app/assets/stylesheets/greetings.scss
```

What all did this generate? It made sure a bunch of directories were in our application, and created a controller file, a view file, a functional test file, a helper for the view, a JavaScript file and a stylesheet file.

Check out the controller and modify it a little (in `app/controllers/greetings_controller.rb`):

```
class GreetingsController < ApplicationController
  def hello
    @message = "Hello, how are you today?"
  end
end
```

Then the view, to display our message (in `app/views/greetings/hello.html.erb`):

```
<h1>A Greeting for You!</h1>
<p><%= @message %></p>
```

Fire up your server using `rails server`.

```
$ bin/rails server
=> Booting WEBrick...
```

The URL will be http://localhost:3000/greetings/hello.

With a normal, plain-old Rails application, your URLs will generally follow the pattern of http:///(host)/(controller)/(action), and a URL like http:///(host)/(controller) will hit the **index**action of that controller.

Rails comes with a generator for data models too.

```
$ bin/rails generate model
Usage:
  rails generate model NAME [field[:type][:index]
field[:type][:index]] [options]

...

Active Record options:
      [--migration]            # Indicates when to generate migration
                               # Default: true

...

Description:
    Create rails files for model generator.
```