```
Middleware                Rack::Sendfile, ActionDispatch::Static,
Rack::Lock,
#<ActiveSupport::Cache::Strategy::LocalCache::Middleware:0x007ffd131a7c88>,
Rack::Runtime, Rack::MethodOverride, ActionDispatch::RequestId,
Rails::Rack::Logger, ActionDispatch::ShowExceptions,
ActionDispatch::DebugExceptions, ActionDispatch::RemoteIp,
ActionDispatch::Reloader, ActionDispatch::Callbacks,
ActiveRecord::Migration::CheckPending,
ActiveRecord::ConnectionAdapters::ConnectionManagement,
ActiveRecord::QueryCache, ActionDispatch::Cookies,
ActionDispatch::Session::CookieStore, ActionDispatch::Flash,
ActionDispatch::ParamsParser, Rack::Head, Rack::ConditionalGet, Rack::ETag
Application root          /home/foobar/commandsapp
Environment               development
Database adapter          sqlite3
Database schema version   20110805173523
```

2.2 assets

You can precompile the assets in `app/assets` using `rake assets:precompile`, and remove older compiled assets using `rake assets:clean`. The `assets:clean` task allows for rolling deploys that may still be linking to an old asset while the new assets are being built.

If you want to clear `public/assets` completely, you can use `rake assets:clobber`.

2.3 db

The most common tasks of the `db:` Rake namespace are `migrate` and `create`, and it will pay off to try out all of the migration rake tasks (`up`, `down`, `redo`, `reset`). `rake db:version` is useful when troubleshooting, telling you the current version of the database.

More information about migrations can be found in the Migrations guide.

2.4 notes

`rake notes` will search through your code for comments beginning with FIXME, OPTIMIZE or TODO. The search is done in files with extension `.builder`, `.rb`, `.rake`, `.yml`, `.yaml`, `.ruby`, `.css`, `.js` and `.erb` for both default and custom annotations.

```
$ bin/rake notes
(in /home/foobar/commandsapp)
app/controllers/admin/users_controller.rb:
  * [ 20] [TODO] any other way to do this?
  * [132] [FIXME] high priority for next deploy

app/models/school.rb:
  * [ 13] [OPTIMIZE] refactor this code to make it faster
  * [ 17] [FIXME]
```

You can add support for new file extensions using `config.annotations.register_extensions`option, which receives a list of the extensions with its corresponding regex to match it up.

```
config.annotations.register_extensions("scss", "sass", "less") {
|annotation| /\/\/\s*(#{annotation}):?\s*(.*)$/ }
```

If you are looking for a specific annotation, say FIXME, you can use `rake notes:fixme`. Note that you have to lower case the annotation's name.

```
$ bin/rake notes:fixme
(in /home/foobar/commandsapp)
app/controllers/admin/users_controller.rb:
  * [132] high priority for next deploy

app/models/school.rb:
  * [ 17]
```

You can also use custom annotations in your code and list them using `rake notes:custom` by specifying the annotation using an environment variable `ANNOTATION`.

```
$ bin/rake notes:custom ANNOTATION=BUG
(in /home/foobar/commandsapp)
app/models/article.rb:
  * [ 23] Have to fix this one before pushing!
```