A good example of this is the `jquery-rails` gem which comes with Rails as the standard JavaScript library gem. This gem contains an engine class which inherits from `Rails::Engine`. By doing this, Rails is informed that the directory for this gem may contain assets and the `app/assets`, `lib/assets`and `vendor/assets` directories of this engine are added to the search path of Sprockets.

8 Making Your Library or Gem a Pre-Processor

As Sprockets uses Tilt as a generic interface to different templating engines, your gem should just implement the Tilt template protocol. Normally, you would subclass `Tilt::Template` and reimplement the `prepare` method, which initializes your template, and the `evaluate` method, which returns the processed source. The original source is stored in `data`. Have a look at `Tilt::Template`sources to learn more.

```
module BangBang
  class Template < ::Tilt::Template
    def prepare
      # Do any initialization here
    end

    # Adds a "!" to original template.
    def evaluate(scope, locals, &block)
      "#{data}!"
    end
  end
end
```

Now that you have a `Template` class, it's time to associate it with an extension for template files:

```
Sprockets.register_engine '.bang', BangBang::Template
```

9 Upgrading from Old Versions of Rails

There are a few issues when upgrading from Rails 3.0 or Rails 2.x. The first is moving the files from `public/` to the new locations. See Asset Organization above for guidance on the correct locations for different file types.

Next will be avoiding duplicate JavaScript files. Since jQuery is the default JavaScript library from Rails 3.1 onwards, you don't need to copy `jquery.js` into `app/assets` and it will be included automatically.

The third is updating the various environment files with the correct default options.

In `application.rb`:

```
# Version of your assets, change this if you want to expire all your
assets
config.assets.version = '1.0'

# Change the path that assets are served from config.assets.prefix =
"/assets"
```

In `development.rb`:

```
# Expands the lines which load the assets
config.assets.debug = true
```

And in `production.rb`:

```
# Choose the compressors to use (if any)
config.assets.js_compressor  =
# :uglifier config.assets.css_compressor = :yui

# Don't fallback to assets pipeline if a precompiled asset is missed
config.assets.compile = false

# Generate digests for assets URLs. This is planned for deprecation.
config.assets.digest = true
```