This output continues for all the undefined steps. Cucumber is doing something really useful here: giving us boilerplate templates for each of the undefined steps that you can paste directly into your editor and then fill out.

Lets do that. I'm taking the whole ball of wax—pasting all eight of those pending blocks into a new file, features/step_definitions/add_task_steps.rb. When I do that and rerun Cucumber … well, a little bit changes:

```
Background:       # features/add_task.feature:3
    Given a project # features/step_definitions/add_task_steps.rb:1
      TODO (Cucumber::Pending)
      ./features/step_definitions/add_task_steps.rb:2:in `/^a project$/'
      features/add_task.feature:4:in `Given a project'

  Scenario: I can add and change priority of a new task
                # features/add_task.feature:6
    When I visit the project page
                # features/step_definitions/add_task_steps.rb:5
    And I complete the new task form
                # features/step_definitions/add_task_steps.rb:9
    Then I am back on the project page
                # features/step_definitions/add_task_steps.rb:13
    And I see the new task is last in the list
                # features/step_definitions/add_task_steps.rb:17
    When I click to move the new task up
                # features/step_definitions/add_task_steps.rb:21
    Then I am back on the project page
                # features/step_definitions/add_task_steps.rb:13
    And the new task is in the middle of the list
                # features/step_definitions/add_task_steps.rb:25
```

If your terminal supports color, the top lines will be yellow and the lines under Scenario will be light blue. Cucumber is stopping the test at the first pending step and marking each further step as "skipped."

It's time to tell Cucumber what each of those steps should do.

Writing Cucumber Steps

Sadly, it's unrealistic for Cucumber to know what to do just from a step like Given a project. So you must define all the steps so Cucumber can execute them.

When Cucumber gets a step like Given a project, it searches through all the files in the step definition folder looking for one definition that matches. What does matching mean? Let's look at the boilerplate for that step again:

```
Given(/^a project$/) do
  pending
end
```