```
When(/^I click to move the new task up$/) do
  within("#task_3") do
    click_on("Up")
  end
end

Then(/^the new task is in the middle of the list$/) do
  within("#task_2") do
    expect(page).to have_selector(".name", text: "Find UFOs")
  end
end
```

There are only a few differences between the Cucumber steps and the original integration test. I've split up "checking that the new task is last" and "clicking to move it up," so each needs its own within block.

Since you've already written the code once, there's no reason to go through the whole process again. The Cucumber process is quite similar to the Capybara-only process: I write a scenario and try to make the steps pass one by one, dropping down to unit tests when I need logic. The biggest difference is that Cucumber makes it easier for me to write the scenario's outline without writing the details of the later steps.

Advanced Cucumber

This section could be titled "Things Cucumber lets you do that are probably bad ideas." Cucumber allows for a lot of flexibility in how steps match with step definitions. By and large, the Cucumber-using community has come to the conclusion that most of these things should be used sparingly, if at all.

Earlier I alluded to the idea that step definitions were regular expressions and not strings. This allows you to have the same step definition apply to multiple strings. More to the point, you can use regular-expression groups to capture those matches. The parts of the string that are in groups are then passed as block variables to the block part of the step definition. This allows you to treat a Cucumber step as a method call with parameters.

In the existing initial step, the project name is hard-coded inside the step definition. If, on the other hand, you wanted to be able to specify the name of the project in the Cucumber feature, you could write the step definition as follows:

```
Given /^a project named "(.*)"$/ do |project_name|
  @project = Project.create!(name: project_name)
end
```

That definition would match steps like this: