You can see the full list of dependencies in the package.json file, which is the equivalent of Bundler's Gemfile, and in the yarn.lock file, which matches Gemfile.lock. All the code is stored in the node_modules directory, which will become quite large.

There's one other configuration piece. In the file config/webpack/environment.js, you need to register jQuery as owning the global $ and jQuery methods so that other modules that use them will correctly link to them:

js_integration/01/config/webpack/environment.js

```
const { environment } = require("@rails/webpacker")
const webpack = require("webpack")

environment.plugins.append(
  "Provide",
  new webpack.ProvidePlugin({
    $: "jquery",
    jQuery: "jquery",
    jquery: "jquery",
    "window.jQuery": "jquery",
  })
)

module.exports = environment
```

Now you can add your JavaScript code to a file in the javascript/packs directory. The main files here will primarily be manifest files that import from other files. In this case, everything fits nicely in a single file, so you're fine.

The following code uses ES6 syntax:

js_integration/01/app/javascript/packs/projects.js

```
class Task {
  static swapTasks(first, second) {
    second.detach()
    second.insertBefore(first)
  }

  constructor(anchor) {
    this.$anchor = $(anchor)
    this.$rowElement = this.$anchor.parents("tr")
  }

  previous() {
    return $(this.$rowElement.prev())
  }

  next() {
    return $(this.$rowElement.next())
  }
```