methods like on_schedule? or name are now automatically delegated, there's no need to explicitly have the project as the message receiver, so you can use on_schedule? rather than project.on_schedule?. However, since you're no longer inside a Rails helper you no longer have access to the content_tag method you used to build the HTML output. Instead, build the output as a string. (There are other options, such as explicitly including the module that content_tag is a part of, but building the string is simplest in this case.)

Finally, at the top of the class, you have a method that takes in a list of Project instances and converts them to presenters. The *projects argument in conjunction with projects.flatten allows the method to be called with either an explicit array, ProjectPresenter.from_project_list([p1, p2]), or an implicit arbitrary list of projects, ProjectPresenter.from_project_list(p1, p2). If you were using presenters more frequently, this kind of method would be easy to abstract to something generic rather than needing to be rewritten for each presenter class.

The test for the presenter is a little simpler than the tests you've seen so far:

display/05/spec/presenters/project_presenter_spec.rb

```
require "rails_helper"

describe ProjectPresenter do
  let(:project) { instance_double(Project, name: "Project Runway") }
  let(:presenter) { ProjectPresenter.new(project) }

  it "handles name with on time status" do
    allow(project).to receive(:on_schedule?).and_return(true)
    expect(presenter.name_with_status).to eq(
      "<span class='on_schedule'>Project Runway</span>")
  end

  it "handles name with behind schedule status" do
    allow(project).to receive(:on_schedule?).and_return(false)
    expect(presenter.name_with_status).to eq(
      "<span class='behind_schedule'>Project Runway</span>")
  end
end
```

Do you see what you've done here? Since your presenter class has no dependencies on Rails, you can write a test class that also has no dependency on Rails. Rather than have the project be an actual project, you've replaced it with a double that responds to the only messages of project that you care about for this test.

However, you've given up a couple of things. You don't have have_selector, which belongs to controller and view groups (though it'd be possible to add it back in if you really wanted it).

But you've gained something big.