external/01/test/test_helper.rb
```
VCR.configure do |c|
  c.cassette_library_dir = "test/vcr"
  c.hook_into :webmock
  c.ignore_localhost = true
end
```

To use a cassette in Minitest, surround some code with the method VCR.use_cassette, which takes a string argument and a block. The argument is the name of the cassette file, so it needs to be unique, and the block is the body of the test that is being recorded by that cassette. You can pass options to the use_cassette method—I'll get to those in a bit.

external/01/test/integration/shows_twitter_avatar_test.rb
```
require "test_helper"

class TaskShowsTwitterAvatar < Capybara::Rails::TestCase
  include Warden::Test::Helpers

  setup do
    projects(:bluebook).roles.create(user: users(:user))
    users(:user).update_attributes(twitter_handle: "noelrap")
    tasks(:one).update_attributes(user_id: users(:user).id,
                                  completed_at: 1.hour.ago)
    login_as users(:user)
  end

  test "I see a gravatar" do
    VCR.use_cassette("loading_twitter") do
      visit project_path(projects(:bluebook))
      url = "http://pbs.twimg.com/profile_images/40008602/head_shot_bigger.jpg"
      within("#task_1") do
        assert_selector(".completed", text: users(:user).email)
        assert_selector("img[src='#{url}']")
      end
    end
  end
end
```

Inside the block, VCR behaves exactly as it would in an RSpec spec that was defined with the :vcr metadata.

VCR and Cucumber

To use VCR with Cucumber, first place the same configuration code in a file somewhere in the Cucumber features/support directory. Once that's done, you have two options: you can put VCR.use_cassette calls inside step definitions or you can use Cucumber tags.