```
  watch(%r{^app/(.+)\.rb$})  { |m| "test/#{m[1]}_test.rb" }
  watch(%r{^app/controllers/application_controller\.rb$}) { 'test/controllers' }
  watch(%r{^app/controllers/(.+)_controller\.rb$})        { |m|
          "test/integration/#{m[1]}_test.rb"
  }
  watch(%r{^app/views/(.+)_mailer/.+})                    { |m|
                  "test/mailers/#{m[1]}_mailer_test.rb"
  }
  watch(%r{^lib/(.+)\.rb$})                               { |m|
          "test/lib/#{m[1]}_test.rb"
  }
  watch(%r{^test/.+_test\.rb$})
  watch(%r{^test/test_helper\.rb$}) { 'test' }
end
```

The watch commands here have the same meaning. If a test file is changed, run that file. If a file in the app directory changes, run the associated test file. If the test_helper.rb changes, run the whole suite. To run Guard, type the following:

```
$ bundle exec guard
14:26:14 - INFO - Running all features
Disabling profiles...
```

Guard will then run your tests or specs, depending on which plugin you're running. There are a bunch of plugins enabled, so Guard rather weirdly runs both of the Minitest and RSpec specs, in addition to trying to run the Jasmine tests and Cucumber files. Then it waits with a command prompt—actually a Pry console, which is useful (though it's not, by default, a Rails console). You can run a few custom commands at the prompt; the most valuable are exit, which quits Guard, and all, which runs all the plugins.

If I then make some kind of change in my program—say I change something in task.rb—Guard springs into action, running the Minitests and specs related to task. (I edited this output to remove actual test results.)

```
14:27:29 - INFO - Running: test/models/task_test.rb
Run options: --guard --seed 5338
Finished in 0.009959s, 0.0000 runs/s, 0.0000 assertions/s.
0 runs, 0 assertions, 0 failures, 0 errors, 0 skips

14:27:31 - INFO - Running: spec/models/task_spec.rb
Running via Spring preloader in process 61635

Randomized with seed 16522
..............

Finished in 0.19715 seconds (files took 0.53858 seconds to load)
14 examples, 0 failures

Randomized with seed 16522
```