Index

SYMBOLS

" (quotes), YAML, 104

(pound sign), for DOM ID, 61, 158, 256

$ (dollar sign), jQuery, 187

$.ajax, 202

() (parentheses), matchers, 16

* (asterisk), Cucumber step definitions, 173

. (dot character)
  for DOM class, 61, 158, 256
  in Pry, 314

: (colon)
  data tables, 178
  line numbers in Cucumber, 323
  YAML syntax, 104

=== operator, 147

[] (brackets)
  HTML attributes in Capybara queries, 159
  HTML attributes in integration testing with Minitest, 256

_ (underscore), Pry variable, 314

_ex_, 314

_ex_.backtrace, 314

*_list, 114

*_pair, 114

| (pipe character)
  data tables, 178
  multiline strings, 105

||= operator, 359

~ (tilde), excluding tags, 321

A

abstractions, duplication of structure and missing, 85–87

acceptance testing, *see also* integration testing; outside-in testing
  automated tools for, 7
  with Cucumber, 172
  defined, 151
  legacy code, 350
  uses, 5

access control, 265, 268–280

action, 228

Action Cable Testing, 239

action classes, *see* workflow classes

ActionController::Parameters, 284

ActionDispatch, 253

ActionMailer, 229–233, 253

ActionView
  Minitest, 253, 257
  test environment, 221

active_record_spec_helper, 335

active_record_test_helper, 336

ActiveCable, 239

ActiveJob, 239, 253

ActiveModel, 79

ActiveRecord
  ad hoc loading, 335–336
  associations and, 115
  comparing time, 127
  creating models, 46
  creating new projects, 220
  delaying connecting to in TDD process, 25
  delegating for speed, 342
  duplication of structure, 85
  finders, 91–94, 114
  fixtures and, 104
  forcing creation with let!, 275
  mass assignment testing, 282
  model layer and, 79
  models not saving, 317
  print statements, 308
  setting timestamps, 127
  stubbing methods, 135

ActiveRecord#create, 101–103

ActiveSupport
  model testing, 94–96
  stubbing times and dates, 74, 125
  test shortcuts, 245

ActiveSupport::Concern, 94–96

ActiveSupport::TestCase, 245

actual, 201

adapters
  advantages, 287, 295
  error case testing, 298
  external services testing, 286–287, 294–298
  unit testing, 287, 299
  when to use, 295

administrator access, 272–274

after blocks, 20

:aggregate_failures metadata setting, 57, 88