files
running single Minitest, 245
running tests on specific, 19
simulating attachments, 158
testing only one, 245, 319, 322–323
unit testing JavaScript with Karma, 195
files (Karma), 195
fill_in, 44, 156–157
filter_sensitive_data, 301
find method, 135, 214
finders, 91–94, 114
finish (Pry), 316
fixture_file_upload, 225
fixtures
advantages, 107
avoiding global, 71
creating users, 267
default setup, 20
defined, 20, 101, 104
deleting, 246
disadvantages, 108
dynamic dates, 124
vs. factories, 128
loading, 106, 246
loading data before tests, 245
relative dates, 124
setting timestamps, 127
simulating user login, 266
specifying, 246
test independence, 75
using, 103–108
fixtures method, 246
flash
Devise messages, 262
older controller tests, 228
simulating requests in request tests, 225
flash variable, 225
floating-point values, Jasmine matchers, 201
:focus metadata tag, 320
follow_redirect!, 255
foreign key constraints, 354
Foreman, 189
forms
preventing form modification, 280
searching by Capybara, 49
simulating user interaction with Capybara, 44, 156–158
specifying elements in Capybara, 156
frameworks, *see also* Minitest
allow_any_instance_of and, 136
JavaScript, 191
mocks and, 147
unit testing JavaScript with Karma, 195
frameworks (Karma), 195
from, 157
full doubles
creating, 132–134
Mocha, 249
mock expectations, 137
function, 205

G

Gamma, Erich, 241
Gatherer app
about, 11
adding tasks with Cucumber, 173–179
administrator and public access, 272–274
Ajax requests, 202–204, 213
annotating expectations, 144–147
associations and validations, 90
automatically running tests with Guard, 330
business logic, 50–57
bypassing Rails for speed, 334–340
calculating dates, 30–40
client unit tests, 293–295
combining duplication, 83–87
connecting JavaScript to server code, 213–215
controller testing, 57–59
custom matchers, 96–99
dates, managing, 123–128
debugging examples, 305, 312–315
design decisions, 12, 17, 25, 49, 165, 268, 281
end-to-end testing, 41–66, 254–257
error case testing, 298
factories, 110–123
first test, 19–24
fixtures, 104–107
generating ActiveRecord, 46
infrastructure, 11–19
integration testing JavaScript, 181–190, 253
integration testing with Capybara, 154–160, 163–172, 181–190
integration testing with Cucumber, 173–179
integration testing with Minitest, 254–257
limiting project lists and tasks, 274–280
mailer testing, 229–233
mass assignment testing, 282–284
with Minitest, 242–245, 247–260
mocks, 137–148
multiple assertions per test, 87–89
ordering tasks, 165–171, 173–177, 181–190, 197–201
partial stubs, 134–136
presenters, 237–239
preventing form modification, 280
refactoring for single-assertion specs, 55–57
refactoring models, 81–87
restricting access, 268–280
roles, 268–280
route testing, 218
running smaller groups of tests, 320
second test, 24–33
shared examples, 94
simulating database failure, 138–141
specifying behavior with mocks, 141–144
test data, 101–128
test doubles with Mocha, 249–252
testing external services, 285–302
testing finders, 91–94
testing for failure, 63–66
testing helper methods, 219–222, 257–259, 263, 267
Twitter integration testing, 287–293