- A user can create a project and seed it with initial tasks using the somewhat contrived syntax of task name:size.
- A user can change a task's state to mark it as done.
- A project can display its progress and status using the date projection you created in the last chapter.

Let's walk through these one by one, following the basic guideline that any new logic should be driven by a failing test. Let's start with the ability to enter a project.

End-to-End Testing

You'll follow a testing practice called *outside-in testing*, which involves writing an end-to-end test that defines the feature (the "outside"), and augmenting it with a series of unit tests that drive the actual code and design (the "inside").

Capybara will make your end-to-end tests easier to read and write. It allows tests to describe user interaction with the web page and the document object model (DOM).[1] We'll cover Capybara and end-to-end testing in more detail in Chapter 8, *Integration Testing with Capybara and Cucumber*, on page 151.

In Rails 5.1 and higher, Capybara is already included as part of the default project. In older projects, you need to add it to the Gemfile yourself:

```
group :test do
  gem "capybara"
end
```

and reinstall the bundle:

```
% bundle install
```

Then make two more system-setup tweaks that will be useful. First, in the rails_helper file, uncomment the following line:

```
Dir[Rails.root.join("spec/support/**/*.rb")].each { |f| require f }
```

This causes RSpec to autoload any file in spec/support, which lets you keep the RSpec setup clean at a slight setup cost.

Next, put the following in spec/support/system.rb:

1. https://github.com/teamcapybara/capybara