Building plan

Building plan would vary according to the type of preschool. Blue print can be decided based on the following.

- the building plan should strictly adhere to the laws of sanitation, hygiene, ventilation and lighting and allows the sun rays to reach all the rooms.
- to permit free and easy access of fresh air to all parts of the building.
- to fulfill the minimum requirements of play rooms, laboratories and wash rooms.
- single storey building is preferable for convenience and safety.
- first aid facilities and place for isolation of sick child should be provided.
- Safety exits and fire extinguishers should be available.

Table: 6.1 Space requirement of a preschool based on play rooms

Types	Plinth area of built up space	Total area
Preschool with two play rooms	218sq.m	318sq.m
Preschool with single play rooms	164sq.m	264sq.m

Source: Sushila Srivastava, Sudha Rani k, Textbook of Human Development-A Lifespan Developmental Approach (2014)

Rooms

- Rectangular rooms ease the activity of the children.
- Rooms should have outlet and inlet.
- Rooms for indoor play should be large enough for children.
- The area must be adequate for the child to move around.
- The area specification must be 1.5 square meter per child and 3 meters above for ceiling.

Walls

- The wall space should be functional and lend itself to promote activities
- Pinning space should be available at the eye level of the child to have picture boards.
- Walls should be painted with pleasant colours.

FACT

Black board in preschool should be at low height, at the level of children to allow them for drawing, scribbling, etc.,

- The windows and doors of the room should have large spaces for bulletin boards for attaching things.
- The walls should be coated with suitable, washable material to deaden the noise.

Floors

- Floors should be made of such material that can be cleaned easily and maintained in a good sanitary condition.

Windows and doors

- The place to fix windows and doors need careful consideration.

XII Std - Home Science EM_Unit 6.indd 170 20-04-2020 6.45.18 PM