

- **Polyunsaturated fatty acids** (PUFA) It is found as n-3 fatty acids and n-6 fatty acids to be not more than 10% of total calorie intake. Fish oils, flax seeds, nuts like walnuts are good sources of n-3 fatty acids while n-6 are present in vegetable oils like sunflower, safflower oils. n-3 fatty acids can help reduce the triglycerides levels in the blood. A good balance between n-6, n-3 PUFA is essential for a healthy heart which is possible by appropriate combination of oils. eg, use of mustard oil or soya bean oil with other oils will help to achieve this balance.

DO YOU KNOW?

Consuming 100-200 gm of fish at least twice a week benefits heart health.


- **Dietary cholesterol** Limiting the dietary cholesterol to less than 200 mg/ day is associated with reduced levels of total cholesterol and LDL cholesterol. Egg yolk and organ meats like brain, kidney and liver are rich in cholesterol.
- **Trans-fats** are fats that are found in baked foods, fast foods and fried foods have the ability to raise LDL cholesterol. It is advisable to restrict the intake to not more than 1% of calories (approximately 1-3gm/day).

DO YOU KNOW?

Heart cancer is very rare because heart cells stop dividing early in life.

ACTIVITY 2

List the usage of different oils used in your home. Justify the level of usage.



Carbohydrate

Carbohydrate intake should contribute to not more than 55% of the total energy requirement. Complex carbohydrates in the form of whole grain cereals are preferred to simple carbohydrates that raise the blood triglycerides levels.

Protein

Normal intake of 50-60g/day is recommended. Usage of animal proteins which are also rich in saturated fats and

XII Std - Home Science EM_Unit 1.indd 24 20-04-2020 6.42.51 PM