OK, now that we have an image correctly tagged with the correct repository name, the next step is to *push* our image to our Docker Hub repository. However, before we can do this, we must first log in to our Docker Hub account from the CLI. Run the following command, and enter your (Docker Hub) username and password when prompted:

```
$ docker login
Login with your Docker ID to push and pull images from Docker Hub. If you
don't have a Docker ID, head over to https://hub.docker.com to create one.
Username: robisenberg
Password:
Login Succeeded
```

Having logged in successfully, we can now push our image to our Docker Hub account by issuing:

```
$ docker push robisenberg/myapp_web:prod
The push refers to repository [docker.io/robisenberg/myapp_web]
e596ed08a285: Pushed
ba1dbb2e536f: Pushed
68de2d8742b3: Pushed
58c9140d449b: Pushed
3261213dc16c: Pushed
7dc2478de08a: Pushed
5f96433196b2: Pushed
a102504f2bb1: Pushed
713891529def: Pushed
723beaa0cfe6: Layer already exists
c273f4e91860: Layer already exists
a334a91e3fd1: Layer already exists
1a36262221c3: Layer already exists
d2217ead3a1c: Layer already exists
b53b57a50746: Layer already exists
d2518892581f: Layer already exists
c581f4ede92d: Layer already exists
prod: digest: sha256:83148118939d4ae1b992e70ee08d0c155325e5c4dfed9f270dd8473
ec3a56e0a size: 3897
```

Let's verify our image has been pushed to Docker Hub. Visit hub.docker.com and log in to your account. You should see it listed there as shown in the figure on page 153.

With our image now hosted on Docker Hub, we could run this image on any Internet-connected machine with Docker installed, and just like with our `ruby:2.6 hello` example, our image would be downloaded automatically.

Before we conclude this chapter, consider one final point. You may not want to share your Docker images with the world. Just like you can have private Git repos, Docker Hub lets you have private image repos. Although, by default,