Once you've created an account, you'll need to generate an API token so that you can set up infrastructure from the command line. Log in and navigate to the API tokens page and press the "Generate New Token" button.[3] Give your token a name (for example, docker-for-rails-developers) with read/write access and then copy the generated token. I recommend you set this in your terminal as an environment variable DIGITAL_OCEAN_TOKEN for use with the following commands. On Linux or Mac, you can do this with a line:

```
export DIGITAL_OCEAN_TOKEN=<your token>
```

Put this in your .bash_rc file or equivalent, and remember to source the file now so that it's available in your current terminal session. Windows PowerShell has a similar approach.[4]

With our account set up, let's create our first cloud instance. We'll use the docker-machine create command like in the previous chapter, but specify the digitalocean driver rather than virtualbox:

```
$ docker-machine create \
  --driver digitalocean \
  --digitalocean-access-token $DIGITAL_OCEAN_TOKEN \
  --digitalocean-region lon1 \
  do-manager-1
Running pre-create checks...
Creating machine...
(do-manager-1) Creating SSH key...
(do-manager-1) Creating Digital Ocean droplet...
(do-manager-1) Waiting for IP address to be assigned to the Droplet...
Waiting for machine to be running, this may take a few minutes...
Detecting operating system of created instance...
Waiting for SSH to be available...
Detecting the provisioner...
Provisioning with ubuntu(systemd)...
Installing Docker...
Copying certs to the local machine directory...
Copying certs to the remote machine...
Setting Docker configuration on the remote daemon...
Checking connection to Docker...
Docker is up and running!
To see how to connect your Docker Client to the Docker Engine running on
this virtual machine, run: docker-machine env do-manager-1
```

3. https://cloud.digitalocean.com/settings/api/tokens
4. https://docs.microsoft.com/en-us/powershell/module/microsoft.powershell.core/about/about_environment_variables?view=powershell-6#changing-environment-variables