the second instruction. A label is simply a piece of metadata associated with an image.

We set a label using the LABEL instruction, which has the following format:

```
LABEL <key>=<value>
```

This gives the image a label named key set to value.

To indicate who is responsible for maintaining the file, we would modify our Dockerfile to specify their email address like so (you can substitute your email address instead of mine):

```
FROM ruby:2.6

➤ LABEL maintainer="rob@DockerForRailsDevelopers.com"

RUN apt-get update -yqq && apt-get install -yqq --no-install-recommends \
  nodejs

COPY Gemfile* /usr/src/app/
WORKDIR /usr/src/app
RUN bundle install

COPY . /usr/src/app/

CMD ["bin/rails", "s", "-b", "0.0.0.0"]
```

And with that, our Dockerfile is complete.

It's worth noting that labels can be used to store any kind of metadata you like on your images. You can use as many LABEL instructions as you like, or combine them into a single line like so:

```
LABEL <key>=<value> <key>=<value> <key>=<value> ...
```

The choice is yours.

Before we finish up, remember to rebuild your image with this change:

```
$ docker build -t railsapp .
```

On this occasion, because we're introducing a new instruction early in our Dockerfile, the build will necessarily be slower as the gems do have to be installed from scratch.

Quick Recap

Our Dockerfile scrubs up pretty well. You can put the wrench down, take off those oil-stained overalls, and put your feet up—again, metaphorically speaking. You deserve it.