```
        override fun onReceive(message: Message) {
            TODO("Not yet implemented")
        }
    }
```

Next, create the `ComposeView` and use `setContent()` to render a `Text()` element with static text.

ch08_05/android/app/src/main/java/com/masilotti/hikingjournal/components/ButtonComponent.kt

```
    package com.masilotti.hikingjournal.components

» import androidx.compose.material3.Text
» import androidx.compose.ui.platform.ComposeView
    import dev.hotwire.core.bridge.BridgeComponent
    import dev.hotwire.core.bridge.BridgeDelegate
    import dev.hotwire.core.bridge.Message
    import dev.hotwire.navigation.destinations.HotwireDestination
    import dev.hotwire.navigation.fragments.HotwireFragment

    class ButtonComponent(
        name: String,
        private val bridgeDelegate: BridgeDelegate<HotwireDestination>
    ) : BridgeComponent<HotwireDestination>(name, bridgeDelegate) {
        private val fragment: HotwireFragment
            get() = bridgeDelegate.destination.fragment as HotwireFragment

        override fun onReceive(message: Message) {
»           val composeView = ComposeView(fragment.requireContext()).apply {
»               setContent {
»                   Text("Sign in")
»               }
»           }
        }
    }
```

Add the `ComposeView` to the screen by attaching it to the `Toolbar`. Remember, you've cast the `fragment` property to an instance of `HotwireFragment`. This