ch10_51/android/app/src/main/AndroidManifest.xml

```
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools">

    <uses-permission android:name="android.permission.INTERNET" />
»   <uses-permission android:name="android.permission.POST_NOTIFICATIONS" />

    <!-- ... -->
</manifest>
```

OK, enough configuration. Sync Gradle and then let's write some Kotlin!

Authorize Sending Notifications on Android

As on iOS, we need the user's permission to send them notifications on Android. Once we receive confirmation, we'll get a token and POST it to the Rails server to associate with the user. On iOS, we had a bridge component that directly displayed the system prompt asking for such and a view model to make the network request.

We'll start on Android in the same way, with NotificationTokenComponent. Create a new file under the components package and name it NotificationTokenComponent.kt. Then, add the boilerplate code for a bridge component.

ch10_52/android/app/src/main/java/com/masilotti ...
journal/components/NotificationTokenComponent.kt

```
package com.masilotti.hikingjournal.components

import dev.hotwire.core.bridge.BridgeComponent
import dev.hotwire.core.bridge.BridgeDelegate
import dev.hotwire.core.bridge.Message
import dev.hotwire.navigation.destinations.HotwireDestination

class NotificationTokenComponent(
    name: String,
    private val bridgeDelegate: BridgeDelegate<HotwireDestination>
) : BridgeComponent<HotwireDestination>(name, bridgeDelegate) {
```