```
    import androidx.activity.result.contract.ActivityResultContracts
»   import com.google.firebase.messaging.FirebaseMessaging
    import dev.hotwire.navigation.destinations.HotwireDestinationDeepLink
    import dev.hotwire.navigation.fragments.HotwireWebFragment

    @HotwireDestinationDeepLink("hotwire://fragment/web")
    class WebFragment : HotwireWebFragment() {
        private val contract = ActivityResultContracts.RequestPermission()
        private val requestPermissionLauncher =
            registerForActivityResult(contract) { isGranted ->
                if (isGranted) registerForTokenChanges()
            }

        private fun registerForTokenChanges() {
»           val firebase = FirebaseMessaging.getInstance()
»           firebase.token.addOnCompleteListener { task ->
»               if (task.isSuccessful) {
»                   // POST token to server.
»               }
»           }
        }
    }
```

Wrap up `WebFragment` by creating a public function to launch the `requestPermissionLauncher`. Make sure to check for the device's SDK version, too. Before Tiramasu (Android 13), developers didn't need to ask permission to send notifications.

ch10_56/android/app/src/main/java/com/masilotti/hikingjournal/fragments/WebFragment.kt

```
    package com.masilotti.hikingjournal.fragments

»   import android.Manifest
»   import android.os.Build
    import androidx.activity.result.contract.ActivityResultContracts
    import com.google.firebase.messaging.FirebaseMessaging
    import dev.hotwire.navigation.destinations.HotwireDestinationDeepLink
    import dev.hotwire.navigation.fragments.HotwireWebFragment

    @HotwireDestinationDeepLink("hotwire://fragment/web")
    class WebFragment : HotwireWebFragment() {
```