Now that you understand test doubles, you'll be ready to tackle the next chapter, where you'll configure *how* and *when* your doubles respond to messages. But first, we have a simple exercise that demonstrates a few nuances of verifying doubles.

Exercise

In this guided exercise, you're going to test a Skier class that collaborates with a TrailMap class. Starting in a fresh directory, put the following code in lib/skier.rb:

13-understanding-test-doubles/exercises/mountain/lib/skier.rb

```
module Mountain
  class Skier
    def initialize(trail_map)
      @trail_map = trail_map
    end

    def ski_on(trail_name)
      difficulty = @trail_map.difficulty(trail_name)
      @tired = true if difficulty == :expert
    end

    def tired?
      @tired
    end
  end
end
```

Now, create a file called lib/trail_map.rb with the following contents:

13-understanding-test-doubles/exercises/mountain/lib/trail_map.rb

```
puts 'Loading our database query library...'
sleep(1)

module Mountain
  class TrailMap
    def difficulty_of(trail_name)
      # Look up the trail in the database
    end
  end
end
```

The TrailMap class has a difficulty_of method, but the Skier class is incorrectly trying to call difficulty instead. If we use a verifying double to stand in for a TrailMap, it should be able to catch this kind of error; let's try that out.

Trying the Verifying Double

Create a file called spec/skier_spec.rb, and put the following spec in it: