You're going to get the chance to try out both of these options. Undo the fix you just made before you start the next step of the exercise.

Using Ruby Constants

First, let's try using a Ruby constant to indicate which class you're faking. In the call to instance_double, change the string 'TrailMap' to the class TrailMap (without quotes).

Now, run your specs the same way you did at the beginning of this exercise: plain rspec with no command-line arguments. The first time you tried this, RSpec gave an incorrectly passing result. Now, you'll get an uninitialized constant Mountain::TrailMap error, because the TrailMap class isn't loaded.

To use the Ruby class directly like this, you'll have to make sure the dependency is loaded before your spec runs. If your specs use the class directly (as this one now does), you'll typically just add require 'trail_map' at the top of your spec file.

There are times, however, when you might *not* want to load your dependencies explicitly in this way:

- Your dependencies take a long time to load, like trail_map does
- You need to use a test double before the dependency even exists, as you did with the Ledger double in the expense tracker project

Now, back out the change you just made, and we'll look at the other way to catch class naming issues.

Configuring RSpec to Check Names

In *Library Configuration*, on page 161, you used an RSpec.configure block to set up rspec-mocks. Using the same kind of block, you can configure RSpec to make sure that all of your verifying doubles are based on real, loaded classes.

The setting you need is called verify_doubled_constant_names. You probably don't want to turn it on unconditionally in spec_helper.rb. If you did, you'd never be able to use a verifying double before its class existed! Instead, put the setting into a file you can load on demand; let's call it spec/support/verify_doubled_constants.rb:

13-understanding-test-doubles/exercises/mountain/spec/support/verify_doubled_constants.rb

```
RSpec.configure do |c|
  c.mock_with :rspec do |mocks|
    mocks.verify_doubled_constant_names = true
  end
end
```