run order of specs, 90, 141–142
test doubles, 260–261
origins, test doubles, 234, 241–245
or operator
custom matchers, 224, 226
matchers, 176, 178, 224, 226
--out option, 148
output, *see also* formatters
configuration options, 148, 160
as documentation, 15, 18, 36, 149, 296
faking, 284–286
formats, 16–19, 36
matcher, 209, 312
output matcher, 209, 312
outside-in development, xvi, 43–45, 101, 304
overriding
command-line defaults, 149
formatters, 155
values in test doubles, 254
overtesting, 37
Ox library, 102

P

-P option, 147
-p option, 148
parallelism, integration specs, 40
parentheses, in expectations, 170, 172
parsing, request body, 69
partial doubles
cautions, 243, 271–274
classes as, 275, 277
defined, 234
original implementation, 253–255
as spies, 242, 271
using, 241, 252, 271–274
verifying, 162, 274
password strength example, 266–268
path
configuration options, 146–147
custom formatter, 151
load, 146, 151, 294
metadata, 133
--pattern option, 147
pending examples, marking, 15, 26–29, 57, 141
pending method, 27, 57, 98
pending specs
color coding, 7
marking, 26–29
removing to pass spec, 98
saving work, 57
:pending tag, 141
percent_of modifier, 193
performance
acceptance specs, 41
Bundler, 294
config hooks, 157
connecting to database, 87
costs and speed, 37, 39
edge cases, 64
effective testing habits, 3
identifying slow examples, 20, 63
integration specs, 40–41
measuring, 160, 166
one expectation per example, 87
output matchers, 209
Rake, 295
running specs selectively, 148
sharing code with hooks, 10
spec_helper file, 156
test doubles, 247
unit specs, 39, 41
persistent stores, 124
personal preferences
global, 149
project, 150
Phippen, Sam, 268
phone numbers matching exercise, 210
placeholders, arguments, 257
POST
defined, 50
Expense Tracker app, 49–58, 64–77, 102, 275–281
post method (Rack), 50
pp, 132
Practical Object-Oriented Design in Ruby, 278
The Pragmatic Programmer, 72
predicate matchers, dynamic, 194–196, 199, 218, 310
prefixes and defining own names for describe and it, 111
prepend, 141, 157
president example, 178
pretty printing, 132
primitive matchers, 187–196
printing
failures as they happen with custom formatter, 151–156
pretty, 132
production servers, 296
--profile option, 20, 148
profiling options, 20, 148, 160
progress, marking, 15, 26–29, 57, 141
progress formatter, 16, 148, 155, 161
project-level defaults, 150
Pry gem, 111
Pryce, Nat, 39, 279
pure doubles
Cash Cow example, 273
defined, 234
faking behaviors, 273
spies, 242, 271
stubbed constants, 278
using, 241
wrapping third-party code, 286

Q

querying
directories, 99
Expense Tracker app data, 54–57
expenses in Expense Tracker app, 95–98
with stubs, 236

R

-r option, 99, 146
Rack
environment variable, 48, 83
helper methods, 50, 52, 56, 68, 102
Rails apps, 305
:request specs, 302